VELD GRAZER 154

PROTEIN MINERAL TRACE MINERAL VITAMIN CONCENTRATE FOR HOME MIXING OF DRY SEASON LICKS

KEY ADVANTAGES

- · Highly concentrated make maximal use of own / local feed ingredients
- · Multipurpose mix maintenance, production, protein, energy and ewe & lamb licks
- · Contains highs levels of Phosphorous and Magnesium improves weaning mass and conception
- · Contains high levels of Vitamin A and E improves fertility and health

EXAMPLES OF LICKS FOR CATTLE

INGREDIENTS	MAINTENANCE LICK	PROTEIN LICK	PRODUCTION LICK	ENERGY LICK
Grain meal / Hominy Chop	300	400	600	750
Salt	400	350	250	150
Feed lime	50	50	25	25
Veld Grazer 154	242	198	132	88
Total (kg)	992	998	1007	1013
Composition (%)				
Protein	40.0	33.8	25.0	19.3
Protein ex NPN (% of total)	94.0	90.5	80.9	69.3
Energy (MJ ME / kg)	3.8	5.0	7.4	9.2
Calcium	3.62	3.27	1.87	1.54
Phosphorous	1.64	1.37	0.99	0.75
Intake - Cattle (g / day)	400 - 600	500 - 700	700 - 1000	1000 - 1500
Application of licks	Dry	Pregnancy	Lactation	Growing Out

EXAMPLES OF LICKS FOR SMALL STOCK

INGREDIENTS	PROTEIN LICK	PRODUCTION LICK	ENERGY LICK	EWE & LAMB LICK
Grain meal / Hominy Chop	400	550	650	700
Oilcake meal	100	100	100	100
Salt	300	200	150	100
Feed lime	25	25	25	25
Veld Grazer 154	176	132	88	66
Total (kg)	1001	1007	1013	991
Composition (%)				
Protein	34.0	28.2	22.1	19.6
Protein ex NPN (% of totaal)	79.8	71.7	60.5	52.4
Energy (MJ ME / kg)	6.0	7.8	9.0	9.8
Calcium	2.25	1.91	1.58	1.46
Phosphorous	1.32	1.07	0.82	0.71
Intake – Small stock (g / day)	100 - 150	150 - 200	200 - 300	300 - 500
Application of licks	Dry	Pregnancy	Growing / Flushing	Lactation

FEEDING RECOMMENDATIONS

- · Replace up to 10 % of the grain meal with additional salt for the first 10 to 14 days for adaptation
- · Thereafter the best regulated intakes are obtained when licks are supplied unrestricted
- · Salt inclusion rates are guidelines may differ according to veld type and specific conditions
- · Supply licks according to stage of reproduction, quality of available grazing and body condition of animals
- · Good quality, unrestricted grazing and / or roughage must be available at all times together with these licks
- · Replace up to 10 % of the grain meal with molasses meal or molasses syrup if preferred
- · For younger cattle it is recommended that 50 kg grain meal is replaced with oilcake meal
- · Consult a Feedtek nutritionist if actual lick intakes differ from recommended intakes after 14 days on the lick
- Licks contain NPN mix ingredients thoroughly, protect against rain and do not feed to horses and game

